

## Data Link Manager / Interface Control Officer Handbook

### Table of Contents

<p>INTRODUCTION</p> <ul style="list-style-type: none"> <li>Purpose</li> <li>Scope</li> </ul> <p>DATA LINK MANAGER (DLM) / INTERFACE CONTROL OFFICER (ICO) OVERVIEW</p> <p><b>Chapter 1 - Introduction To Tactical Data Links</b></p> <p>INTRODUCTION TO TACTICAL DATA LINKS</p> <p>WHY TACTICAL DATA LINKS?</p> <p>BASIC TDL CONCEPTS</p> <ul style="list-style-type: none"> <li>A Data source</li> <li>A Data Handling and Display System (Tactical Data System)</li> <li>An Optional Cryptographic System</li> <li>A Communications System</li> <li>A Message Set</li> </ul> <p>CONNECTIVITY</p> <ul style="list-style-type: none"> <li>Types <ul style="list-style-type: none"> <li>Point-to-Point</li> <li>Broadcast</li> <li>Netted</li> </ul> </li> </ul> <p>STRUCTURE OF TDL MESSAGES</p> <ul style="list-style-type: none"> <li>Data Fields</li> <li>Peripheral Fields</li> </ul> <p>TDL Referencing Systems</p> <p>TDL PROTOCOLS</p> <ul style="list-style-type: none"> <li>Data Registration</li> <li>Track Quality</li> <li>Reporting Responsibility (R2)</li> <li>Correlation</li> <li>Decorrelation</li> </ul> <p>TRANSMISSION MEDIA</p> <p>SUPPORTING DOCUMENTATION</p> <ul style="list-style-type: none"> <li>ATDLP</li> <li>MIL-STDs</li> <li>ATDLP Operational Document</li> </ul> <p>J-SERIES FAMILY</p> <p>OPTASK LINK</p> <p><b>Chapter 2 - NATO Link 1</b></p> <ul style="list-style-type: none"> <li>NATO LINK 1</li> <li>NATO LINK 1 MESSAGES</li> <li>NATO LINK 1 OPTASK LINK</li> </ul> <p><b>Chapter 3 - Link 11 &amp; B</b></p> <p>INTRODUCTION TO LINK 11</p> <p>LINK 11 FUNCTIONS</p> <ul style="list-style-type: none"> <li>Picture Compilation</li> </ul>	<ul style="list-style-type: none"> <li>Command and Control</li> <li>Text Messages</li> </ul> <p>LINK 11 A SYSTEM DESCRIPTION</p> <ul style="list-style-type: none"> <li>Data Link Reference Point (DLRP)</li> </ul> <p>LINK 11 MESSAGES</p> <p>LINK 11A EQUIPMENT</p> <ul style="list-style-type: none"> <li>The Tactical Data System (TDS)</li> <li>Encryption Equipment</li> <li>Data Terminal Set</li> </ul> <p>Error Detection Correction and Audio Signal Generation</p> <ul style="list-style-type: none"> <li>CLEW</li> <li>SLEW</li> <li>Link Protocol Control</li> <li>TDS Interface Control</li> <li>DTS Operating Modes</li> </ul> <p>LINK 11A RADIOS</p> <p>LINK 11A NET ARCHITECTURE</p> <p>LINK 11A OPERATING MODES</p> <ul style="list-style-type: none"> <li>Full Roll Call</li> <li>Partial Roll Call</li> <li>Roll Call Broadcast</li> <li>Net Cycle Time (NCT)</li> <li>Broadcast</li> <li>Net Synchronisation</li> <li>Net Test</li> </ul> <p>THE LINK 11 ENVIRONMENT</p> <ul style="list-style-type: none"> <li>The Force Track Coordinator</li> <li>The Duty Net Control Station</li> <li>Picture Registration</li> <li>Correlation</li> <li>Track Quality (TQ)</li> <li>Reporting Responsibility</li> <li>Filtering</li> </ul> <p>LINK 11 TRACK NUMBERING</p> <ul style="list-style-type: none"> <li>Pool System</li> <li>Track Block System</li> <li>Mixed Allocation</li> </ul> <p>LINK MANAGEMENT CODES</p> <p>LINK 11 DUTY CODES</p> <p>LINK 11 OPTASK LINK</p> <p>LINK 11B</p> <p>LINK 11B DOCUMENTS</p> <p>LINK 11B SYSTEM</p> <p>LINK 11B ARCHITECTURE</p> <p>LINK 11B MODES OF OPERATION</p> <ul style="list-style-type: none"> <li>Link 11B – RU Transmission States</li> </ul> <p>LINK 11B OPTASK Link</p>
--	---

## **Chapter 4 - JTIDS/MIDS Link 16**

### INTRODUCTION

Information Distribution

Position Location

Identification

### JTIDS, IJMS, LINK 16 and MIDS

### MIDS SYSTEM ARCHITECTURE

### TDMA CYCLES

### TIME SLOT ALLOCATION

### ALLOCATING TIME SLOTS IN THE FRAME

### THE MIDS TIME SLOT

Jitter

Synchronisation & Time Refinement

The Message Header

The Message Data

Propagation and Guard

### JTIDS/MIDS FREQUENCIES

### MIDS WAVEFORM

Single Pulse Mode

Double Pulse Mode

### MIDS MESSAGE PACKING

Standard Double Pulse

Packed-2 Single Pulse

Packed-2 Double Pulse

Packed-4 Single Pulse

### THE LINK 16 MESSAGE STRUCTURE

The Initial Word

The Extension Word

The Continuation Word

### LINK 16 MESSAGE NUMBERS

### LINK 16 MESSAGES

### ACCESS MODES

Dedicated Access

Contention Access

Time Slot Reallocation

### MIDS RANGE MODES

### NETS AND NETWORKS

Crypto/Net Number /Time Slot Number

### NETWORK PARTICIPATION GROUPS (NPGs)

NPGs – Brief Details

### JTIDS/MIDS NETWORK STRUCTURES

Multiple Nets

Stacked Nets

### SIGNAL PROCESSING AND ENCRYPTION

### MIDS ENCRYPTION

### THE SECURE DATA UNIT (SDU)

### CRYPTO OPERATING MODES

Crypto Variable Logic Labels

### ERROR CORRECTION PROCESSES

Cyclic Code Shift Keying

Continuous Phase Shift Modulation

### RANGE & LINE-OF-SIGHT

### TYPES OF RELAY

Paired Slot Relay

Relay Delay

Repromulgation Relay

### PAIRED SLOT RELAY – MECHANISMS AND TYPES

Data Duplication

### RELAY STATUS

Unconditional

Conditional

Suspended

### TYPES OF PAIRED SLOT RELAY

### SYNCHRONISATION

### ETRN AND STRN

ETRN

STRN

### TIME QUALITY

### RELATIVE NAVIGATION (RELNAV)

### GEODETTIC GRID

### RELATIVE GRID

### THE RELATIVE NAVIGATION PROCESS

### JOINING A MIDS NETWORK

### STRN SYNCHRONISATION

Network Time Reference (NTR)

Setting Up for Initial Entry

Coarse Synchronisation

Fine Synchronisation

### ETRN SYNCHRONISATION

### MAINTAINING SYNCHRONISATION

### SYNCHRONISATION & LARGE AREA NETWORKS

### LINK 16 OPTASK LINK

## **Chapter 5 - Link 22**

### INTRODUCTION

### BASIC SPECIFICATION

### LINK 22 SYSTEM

Data Link Processor

### LINK 22 SYSTEM DESCRIPTION

### ASSIGNMENT SLOTS

Minislots

### NET CYCLE TIME/OPERATIONAL NET CYCLE

### STRUCTURE

Interrupt (Injection) Slot

Late Network Entry Slot

### LINK 22 TDMA MODES

TDMA

Dynamic TDMA

### LINK 22 NETWORKS

Network Structure

Mission Area Subnetwork (MASN)

### LINK 22 DUTY CODES

INITIALISING A NETWORK  
NILE Unit Initialisation  
Network Level Initialisation  
Short Network Initialisation  
Network Initialisation with Probing  
LATE NETWORK ENTRY  
LINK 22 MESSAGES  
F/FJ-SERIES MESSAGES  
LINK 22 MESSAGES  
LINK 22 OPTASK LINK

## **Chapter 6 - Variable Message Format (VMF)**

A SHORT HISTORY OF VMF  
Generic Variable Format Messages  
What is VMF?  
Transmission Media  
VMF OVERVIEW  
VMF System Requirements  
VMF DOCUMENTATION  
Who is Using VMF?  
VMF NETWORKS  
TYPES OF SERVICE  
Connection Orientated or Connectionless TOS  
Data Link Acknowledgements  
TYPE 1 TOS  
TYPE 2 TOS  
TYPE 3 TOS  
TYPE 4 TOS  
TOS Summary  
FUNCTIONAL AREAS  
FA Description  
VMF K-SERIES MESSAGES  
COMBAT NET RADIO (CNR) OPTASK LINK

## **Chapter 7 - Data Forwarding**

INTRODUCTION  
DOCUMENTATION  
ROLES & RESPONSIBILITIES  
DATA FORWARDING DUTIES  
CONCURRENT OPERATIONS  
Prevention of Data Duplication in Concurrent Operations  
OPERATION OF DATA FORWARDING  
VMF DATA FORWARDING

## **Chapter 8 - Joint Range Extension Application**

### **Protocol (JREAP)**

JREAP OVERVIEW  
DOCUMENTS  
JREAP CAPABILITIES  
COMMON TIME REFERENCE

JRE PROCESSOR ROLES & FUNCTIONS  
OSI 7 LAYER MODEL  
JREAP DATA STREAM  
JREAP HEADERS  
FULL STACK  
APPLICATION HEADER  
MESSAGE EXTRAPOLATION  
JREAP MESSAGES  
APPENDIX A - TOKEN PASSING PROTOCOL  
Roles and Responsibilities  
Transmission Sequence List Order  
Network Start-up  
APPENDIX B - FULL-DUPLEX, SYNCHRONOUS OR ASYNCHRONOUS POINT-TO-POINT CONNECTION  
Modes of Operation  
Point-to Point Connectivity Feedback  
APPENDIX C - ENCAPSULATION OVER INTERNET PROTOCOL (IP)  
General Requirements  
Operations Using TCP  
TCP Configuration Parameters  
TCP Link Establishment  
Operations Using UDP Unicast  
UDP Configuration Parameters  
UDP Link Establishment  
Operations Using UDP Unicast  
Operations Using UDP Multicast  
JRE OPTASK LINK

## **Chapter 9 - Multi TDL Planning**

GENERAL PRINCIPLES  
INTRODUCTION TO MULTI TDL PLANNING  
TYPICAL PLANNING CYCLE  
RESPONSIBILITIES  
DLM / ICO Responsibilities  
Information Exchange Requirements  
Commanders Plans  
The Operational Scenario  
Prioritisation of IERs  
EW Considerations  
Platform Idiosyncrasies  
Cryptographic Requirements  
INPUTS TO THE PLANNING PROCESS  
LINK 11 & B PLANNING  
LINK 16 PLANNING  
MIDS/JTIDS COORDINATION MESSAGE (JCM)  
MIDS/JTIDS FORECAST ACTIVITY REPORT (JFAR)  
LINK 22 PLANNING  
INTERFACE UNIT (IU) ADDRESSEES  
ALLOCATION OF TRACK NUMBERS  
High and Low Track Numbers

VMF IN A MULTI TDL ENVIRONMENT  
FREQUENCY CLEARANCE AGREEMENTS  
The Culprit – Pulse Density  
Time Slot Duty Factor (TSDF)  
Simultaneous Transmissions  
Network Separation/Synchronisation  
Packing Levels  
Separation Standards  
Surface Units  
Airborne Units  
INTERFERENCE PROTECTION FACTOR (IPF)  
Full IPF  
Exercise IPF  
Combat IPF  
COMMON FREQUENCY CLEARANCE CRITERIA

### **Chapter 10 - MIDS Link 16 Network Design**

INTRODUCTION  
NETWORK DESIGN AIMS  
NETWORK DESIGN REQUIREMENTS & PROCESSES  
1. Network Naming Convention  
2. Definition of Network Wide Parameters  
3. Network Participation Consideration  
4. Satisfy IERs  
5. Connectivity  
6. Allocation of Time Slots  
7. Initialisation Data Set (IDS) Generation  
8. Network Description Documentation (NDD)  
9. Network Validation  
10. Network Distribution  
11. Configuration Management  
PRE-MISSION PREPARATION  
Network Specific Parameters (NSPs)  
Mission Specific Parameters (MSPs)  
Platform Specific Parameters (PSPs)

### **Chapter 11 - Network Management**

INTRODUCTION  
LINK 11A & B MANAGER  
LINK 16 NETWORK MANAGER  
SUBORDINATE NETWORK MANAGER  
NETWORK MANAGEMENT STATION FACILITIES  
MONITORING & MAINTENANCE  
NETWORK TIME SLOT DUTY FACTOR (TSDF)  
LINK 22 MANAGER  
SNMU  
NMU  
VMF NETWORK MANAGEMENT

### **Chapter 12 - Recording & Analysis**

INTRODUCTION  
UK FCA COMPLIANCE  
FCA RECORDING REQUIREMENTS  
LINK 16 NETWORK ANALYSIS  
Recording and Analysis of Other TDLs

### **APPENDIX A - OPTASK LINK**

#### **TDL COMPARISON TABLE**

#### **LIST OF ACRONYMS**

#### **GLOSSARY**

#### **INDEX**